in f 🎔 🞯



Parker Systematic Fitting Selection

Contact our team and Order today on: +44 (0)191 549 7335

Offshore House, Southwick Industrial Estate, Sunderland, SR5 3TX hos@hos.co.uk | www.hos.co.uk



Introduction

Product selection

Ultimate target is to find the "best solution". This optimum solution provides high system reliability, easy assembly characteristics, low maintenance effort and avoids the use of exotic components.

This "best solution" is not the ultimately achieveable technology, but an adequate solution which fulfils the requirements of the individual application with minimum system cost.

The "best solution" looks different depending on the specific criteria of the given application.

Design criteria for fitting selection

Step 1

First clarify all design criteria for the given application or project.

Dry Technology

Modern TFDE fittings are designed for high reliability, easy assembly and lowest toal cost performance.

These products are marked Dry Technology and indicated grey in selection charts.

Parker recommends to select only Dry Technology products for all new designs.

Step 2

Then determine the "best solution" product. Use selection charts on following pages.



Material selection: Fitting material



Environment

• select fitting material with

suitable corrosion resistance



Medium

select compatible fitting material



• check suitability

Tube Material: Fitting material:	Steel, zinc-plated Steel, zinc-plated	Stainless steel Stainless steel	Copper Brass	Stainless steel Steel	Plastic Steel, Stainless steel, Brass
Performance characteristics:					
Pressure capability	Excellent	Excellent	Good	Excellent	Low
External temperature capability	Very good	Excellent	Very good	Very good	Depending on tube and material
Corrosion resistance	Good	Excellent	Very good	Good	Good
Internal media compatibility	Good	Excellent	Very good	Good	Good
Current use	Standard material combination for general use in hydraulic systems	Standard material combination for use with aggressive media or application in corrosive environments	Low to medium pressure applications in corrosive environment Use with compressed air (condensed water) or slightly corrosive media (water)	Special material combination for middly corrosive environments	Special material combination for low pressure applications
Typical applications:	Machine tools, Mobile construction equipment	Shipbuilding, Offshore exploration, Process engineering, Paper machines costal installations	Central lubrication systems, Pneumatics, cooling water tubes	Some airbrake systems in railway industry wet machining area on machine tools	Pneumatic systems on machine tools central lubrication and airbrakes in truck industry

Material selection: Sealing material





Medium ● select compatible fitting material

Temperature ● check suitability



Assembly
 Prefer elastomer sealing for easy assembly and economic service

Sealing technology	metal-to-metal	nitrile rubber (NBR)-Elastomer	Fluorcarbon (FKM)-Elastomer
Performance characteristics:			
High pressure capability	Good	Excellent	Excellent
Low temperature capability High temperature capability Media compability Long term reliability	Excellent Excellent Excellent Good	Very good Good Good Excellent	Good Very Good Very Good Excellent
Assembly characteristics:			
Ease of initial assembly Repeated assembly Replacement of seal	Good Good Not possible	Excellent Excellent Easy	Excellent Excellent Easy
Current use	Suitable for aggressive media respectively for very low or very high temperatures	General use in – hydraulic – pneumatic – lubrication – airbrake systems	Hydraulic and pneumatic systems with high operating temperature process engineering: some aggressive media
Typical applications	Process engineering Agricultural Equipment	Machine tools Hydraulic presses Mobile construction equipment	Steelmill equipment Casting machines

LL/L/S Series selection for EO fittings





Pressure
 select series with adequate pressure performance

Space
 select series according to available space



Specification
 prefer L or S series for best availability

	018		
Series	LL	L	S
Example of order code	G06ZLLCF	G06ZLCF	G06ZSCF
Design	very Light	Light	Heavy
Performance PN Suitability for heavy duty	100 bar	160–500 bar	315–800 bar
applications	Good	Good	Excellent
Tube dimension	4, 6, 8, 10, 12 mm	6, 8, 10, 12, 15, 18, 22, 28, 35, 42 mm	6, 8, 10, 12, 14, 16, 20, 25, 30, 38 mm
Assembly Tightening effort Space requirement	Very low Very low	Normal Low	High High
Current use	Very light design for space- limited assemblies in low to medium pressure applications	medium to high pressure fitting for general use in hydraulic and pneumatic systems	Rigid design for use in heavy-duty applications
Typical applications	Central lubrication Airbrake systems fuel lines oil/gas stoves micro hydraulics	machine tools agricultural vehicles	hydraulic presses plastic injection molding steel mills shipbuilding Mobile construction equipment

Tube end selection



Pressure

•

select connection type

with adequate pressure performance

prefer elastomeric seal for most reliable sealing

performance



Assembly
 select product with adequate assembly process



Spaceselect most suitable product

3



Specification
 fitting type according to project specification

Туре	EO PSR/DPR Metal seal bite type	EO-2 Soft seal bite type	EO2-FORM Tube forming
Sealing method	Metal seal	Elastomeric seal	Elastomeric seal
International Standard	ISO 8434-1	ISO 8434-1	ISO 8434-1/4
National Standards	DIN EN ISO 8434-1 (old: DIN 2353/DIN 3861)	DIN EN ISO 8434-1 (old: DIN 2353/DIN 3861)	DIN EN ISO 8434-1 (old: DIN 3861)
Tube compatibility	Metal and plastic tube (steel, stainless steel, copper, alun	ninium, polyamide)	Steel, stainless steel, copper alloy
Available sizes (Tube O.D.)	4 LL–12LL 6L–42L 6S–38S	4LL-6LL 6L-42L 6S-38S	Tube O.D. 6 to 42 mm 6L–42L 6S–38S
Performance seal reliability	Very good	Excellent	Excellent
Assembly Tube preparation Installation Field repair	Excellent Good Very good	Excellent Very good Excellent	Good Excellent Use EO2
Space requirements	Excellent	Excellent	Good
Current use	Most popular fitting for metric tube Traditional bite type fitting new designs	Global popularity for all	Heavy duty alternative to EO/EO2 and EO weld nipple
Typical applications	General use in hydraulic, pneumat and coupling systems	ic, lubrication	General use in high pressure applications
	Agricultural equipment Process engineering	Hydraulic presses Injection Molding Mobile equipment Heavy machinery Ship building	Hydraulic presses Injection Molding Mobile equipment Heavy machinery Ship building

Tube end selection



Pressure

- select connection type with adequate pressure
 prefer elastomeric seal for most reliable sealing
- for most reliable sealing performance



Assembly
 select product with adequate assembly process



Spaceselect most suitable product



В

Specification
 fitting type according to project specification

Туре	EO SKA Weld nipple	O-Lok[®] O-Ring Face Seal (ORFS)	Triple-Lok® 37° Flare
Sealing method	Elastomeric seal	Elastomeric seal	Metal seal
International Standard	ISO 8434-1/4	ISO 8434-3	ISO 8434-2
National Standards	DIN EN ISO 8434-1/-4 (old: DIN 3865)	SAE J1453/J516	SAE J514 / J516
Tube compatibility	Weldable steel and stainless steel	Metal tube (steel, stainless steel, copper, alur	ninium)
Available sizes (Tube O.D.)	6L-42L 6S-38S	Tube O.D. 6 to 50 mm Tube O.D. 1/4" to 2"	Tube O.D. 6 to 42 mm Tube O.D. 1/8″ to 2″
Performance seal reliability	Excellent	Excellent	Very good
Assembly Tube preparation Installation Field repair	Difficult Excellent Difficult	Good Excellent Use braze adapter	Good Excellent Hand flaring
Space requirements	Very good	Good	Very good
Current use	Limited use in Northern Europe and Asia	Heavy duty <i>Dry Technology</i> alternative to Triple-Lok [®]	
		Most popular fitting for inch tube (r	netric tube on request)
	1	USA, Europe, gaining acceptance in Asia.	Worldwide
Typical applications	Limeted use for special applications	General use in high pressure-hydraulic	General use in hydraulic, pneumatic, lubrication and coupling systems
	Heavy machinery Ship building power plants	Mobile equipment Injection Molding Hydraulic presses Heavy machinery Ship building	Agricultural equipment* Process engineering

Flange type selection



 Pressure
 select flange type connection with adequate pressure performance



Application
 select suitable flange type for specific application



 Space
 select flange type according to available space

Specification

 select flange type according to project specification







Elongo tuno	Four corow onlit flange	Four screw one piece	Coton flongo
Flange type	Four screw spin nange	square nange	Cetop hange
Sealing method	Elastomeric seal	Elastomeric seal	Elastomeric seal
International standard	ISO 6162-1/-2	ISO 6164 (1994)	
National standard	DIN ISO 6162-1/-2/SAE J518		former Cetop
Tube compatibility	Combines weld and thread connections	Weld connection	Weld connection
Available sizes (Tube O.D.)	1/2" up to 5"	3/8" up to 4"	3/8" up to 4"
Performance seal reliability	Excellent	Excellent	Excellent
Assembly Tube preparation Installation Field repair	Good Excellent Good	Difficult Excellent Difficult	Difficult Excellent Difficult
Space requirements	Low	Low	Low
Used screws	metric screws according to: – DIN 912-8.8 (ISO 4762-8.8) or – DIN 912-10.9 (ISO 4762-10.9) UNC screws according to ASA B 18.3	metric screws according to: – DIN 912-8.8 (ISO 4762-8.8) or – DIN 912-10.9 (ISO 4762-10.9)	metric screws according to: – DIN 912-8.8 (ISO 4762-8.8) or – DIN 912-10.9 (ISO 4762-10.9)
Current use	Widely used throughout the world	Mainly used in Germany	Mainly used in Europe
Typical applications	Agriculture Hydraulic Offshore Ship building Cranes	Agriculture Hydraulic Offshore Ship building Cranes	Agriculture Hydraulic Offshore Ship building Cranes

Port/Stud selection

BAR	Pressure select connection with adequate pressure performance	2 Temperature • Use elastomeric se when suitable	al
Port end selection:	Male stud with EOLASTIC-seal	Male stud with O-Ring seal	Male stud adjustable with O-Ring seal
Port description metric	Male stud with EOLASTIC-sealing	Male stud with O-ring sealing	Male stud adjustable with O-ring sealing
Thread	Metric	Metric	Metric
Example of order code EO =	GE12ZLMEDCF	GE012ZLMCF	VEE12ZSMORCF
Example of order code Triple-Lok [®] =	8M16F82EDMXS	8M16F870MXS;	8M18V870MXS
Example of order code O-Lok [®] =	8M16F82EDMLOS	8M16F870ML0S	8M18V870MLOS
Thread standard (Example)	M 16 × 1.5	M 16 × 1.5	M 18 × 1.5
· · · /	ISO 261; ISO 724; DIN 13-T5-T7	ISO 261; ISO 724; DIN 13-T5-T7	ISO 261; ISO 724; DIN 13-T5-T7
Male stud standard	DIN EN ISO 9974-2 (old: DIN 3852 T11, type E)	DIN ISO 6149-2/3 (old: DIN 3852 T3, type F)	DIN ISO 6149-2/3
Port tapping standard	DIN EN ISO 9974-1 (old: DIN 3852 T1, type X, Y)	DIN ISO 6149-1 (old: DIN 3852 T3, type W)	DIN ISO 6149-1 (old: DIN 3852 T3, Form W)
Performance characteristics			
 pressure capacity 	Very high	Very high	High
 sealing characteristics 	Excellent	Excellent	Very good
 additional sealant required 	No	No	No
Current use	Solid, soft sealing male studs. Known worldwide. Well suitable for using with gas and high pressure hydraulics.	New safe sealing system for all areas of application, especially suitable for high pressure hydraulics. Standard sealing for the future. Identifying marking for metric version is a groove at the collar.	New safe adjustable sealing system for all areas of application, especially suitable for high pressure hydraulics. Standard sealing for the future.
	Well suitable for soften for counter mater	rial (e.g. housing of Al-alloy).	
Port description inch	Male stud with	Male stud with	Male stud adjustable
Throad	LOLASTIC-SEdility		
Example of order code			
E = E = E = E = E = E = E = E = E = E =			
Example of order code Inple-Lok ⁻ =			8V50ML02
Example of ofder code O-Lok° =			
nneau stanuaru (Example)	DIN/ISO 228-T1 Japan: 1/4 PF BS 2779	ISO 725/ANSI B1.1-1974	ISO 725/ANSI B1.1-1974
Male stud standard	DIN 3852 T11, type E ISO 1179-2	ISO 11926-2/3	ISO 11926-2/3
Port tapping standard	DIN 3852 T2 ,type X, Y ISO 1179-1	ISO 11926-1	ISO 11926-1
Performance characteristics			
 pressure capacity 	Very high	Very high	High
 sealing characteristics 	Excellent	Excellent	Very good
- additional sealant required	NO	NO	NO
Current use	Solid, soft sealing male studs. Known worldwide. Well suitable for soften counter material (e.g. housing of Al-alloy). Well suitable for using with gas and high pressure hydraulics.	Predecessor of metric sealing system. Often used in USA. Well suitable for soften counter material (e.g. housing of Al-alloy). Well suitable for using with gas.	Predecessor of metric adjustable sealingsystem. Often used in USA. Well suitable for soften counter material (e.g. housing of Al-alloy).

Port/Stud selection



Assembly
 prefer O-Ring/ ED-seal for easy assembly and economic service
 avoid tapered threads



0

Application
 select standard connection for specific application

Port end selection:	Male stud O-ring retainer ring	Male stud adjustable with O-ring seal and Backup washer	Male stud with sealing by cutting face
Port description metric	Male stud adjustable with O-ring sealing	Male stud adjustable with O-ring sealing	Male stud with sealing by cutting face
Thread	Metric	Metric	Metric
Example of order code EO =	—	VEE12ZSMCF	GE12LMCF
Example of order code Triple-Lok® =	8M16F80MXS	8M18V80MXS	_
Example of order code O-Lok [®] =	—	8M18V80ML0S	_
Thread standard (Example)	M 18 × 1.5 ISO 261; ISO 724; DIN 13-T5-T7	M 18 × 1.5 ISO 261; ISO 724; DIN 13-T5-T7	M 16 × 1.5 ISO 261; ISO 724; DIN 13-T5-T7
Male stud standard	_	-0ml	DIN EN ISO 9974-3 (old: DIN 3852 T3, type B)
Port tapping standard	DIN EN ISO 9974-1 (old: DIN 3852 T1, type X, Y)	DIN EN ISO 9974-1 (old: DIN 3852 T1, type X, Y)	DIN EN ISO 9974-1 (old: DIN 3852 T1, type X, Y)
Performance characteristics			
 pressure capacity 	Medium	Medium to high	High
 sealing characteristics 	Good	Good	Medium to good
- additional sealant required	No	No	No
Current use		New adjustable sealing system for all areas of application.	Suitable for aggressive media respectively for very low or high
	Used in Europe and Asia-Pacific areas.		temperatures, where elastic sealing cannot be used.
	Well suitable for soften counter material/	e. g. housing of Al-alloy.	
Port description inch	Male stud adjustable with O-ring sealing	Male stud adjustable with O-ring sealing and Backup washer	Male stud with sealing by cutting face
Thread	BSP	BSP	BSP
Example of order code EO =	—	VEE12ZLRCF	GE12LR1/4CF
Example of order code Triple-Lok [®] =	8-F40MXS	8V40MXS	
Example of order code $O-Lok^{\mathbb{R}} =$	—	8V40ML0S	
Thread standard (Example)	G3/8A DIN/ISO 228-T1	G3/8A DIN/ISO 228-T1	G1/4A DIN/ISO 228-T1, BS 2779
Further standards	GB: 1/4 BSPP, Japan: 1/4 PF	GB: 1/4BSPP, Japan: 1/4PF	GB: 1/4BSPP, Japan: 1/4PF
Male stud standard	ISO 1179-3	ISO 1179-3	DIN 3852 T2, type B, ISO 1179-4
Port tapping standard	ISO 1179-1; DIN 3852 T2, type X, Y	ISO 1179-1; DIN 3852 T2, type X, Y	DIN 3852 T2, type X, Y, ISO 1179-1
Performance characteristics			
 pressure capacity 	High	Medium to high	High
 sealing characteristics 	Very good	Good	Medium to good
 additional sealant required 	No	No	No
Current use	Used in Europe and Asia-pacific areas.	Solid, soft sealing male studs. Known worldwide.	Suitable for aggressive media respectively for very low or high temperatures, where elastic sealing
	Well suitable for soften counter material	(e.g. housing of Al-alloy).	cannot be used.

A

Port/Stud selection

	Specification • select connection specification • prefer internationa • select ISO 6149 for	type according to project al standards r new designs		
Port end selection:	Male stud with sealing by metal sealing	Male stud with sealing by taper thread	Male stud with sealing by taper thread	Male stud with sealing by taper thread
Port description metric	Male stud with sealing	Male stud with sealing	—	Male stud with sealing
Thread	Metric	NPT	_	Metric
Example of order code EO =	GE12LMACF	GE12L1/2NPTCF		GE08LLMCF
Example of order code Triple-Lok® =	_	8-8FMTXSS	_	_
Example of order code O-Lok® =	—	8-8FLOSS	—	—
Thread standard (Example)	M 16 × 1.5; ISO 261;	1/2-14NPT	—	M 10×1 keg
	ISO 724; DIN 13-T5-T7	ANSI B1.20.1-1983		DIN 158
Male stud standard	DIN 3852 T1, type A DIN 7603 (Sealing washer)	ANSI B1.20.1-1983	-	DIN 3852 T1, type C
Port tapping standard	DIN EN ISO 9974-1 (old: DIN 3852 T1, type X, Y)	ANSI B1.20.1-1983	-	DIN 3859-11, type Z (parallel)
Performance characteristics – pressure capacity – sealing characteristics – additional sealant required	Low Medium No	Very high Medium Yes	_	Low Medium Yes
Current use	Partly used for pneumatics and gas applications.	Mainly used in North America. Some used in rest of the world. Male studs and port tapping are tapered. Sealing only achieved with fluid or plastic sealing material.		Only for low requirements due to parallel port. Leakfree perform- ance is only achieved with fluid or plastic thread sealing material. Mainly used in Germany.
Port description inch	Male stud with sealing	Male stud with sealing	Male stud with sealing	Male stud with sealing
	by metal sealing ring	by taper thread	by taper thread	by taper thread
Thread	BSPP	NPTF	BSPT	Shorter BSPT
Example of order code EO =	GE12LR1/4ACF	—	GE12LR1/2KLCF**)	GE12LR1/4KEGCF
Example of order code Triple-Lok [®] =	—	12FMTXS	8-8F3MXS	—
Example of order code O-Lok [®] =	_	12FLOS	_	_
Thread standard (Example)	G1/4A DIN/ISO 228-T1 BS 2779	3/4-14NPTF ANSI B1.20.3-1983	R1/2 ISO 7; DIN 2999-1 BS 21	R1/4 (short) DIN 3858
Further standards	GB: 1/4BSPP, Japan: 1/4PF		GB: 1/4 BSPT; Japan: 1/4 PT	_
Male stud standard	DIN 3852 T2, type A DIN 7603 (Sealing washer)	SAEJ 476a	ISO 7; DIN 2999-1	DIN 3852 T2, type C
Port tapping standard	DIN 3852 T2, type X, Y ISO 1179-1	SAEJ 476a ANSI B1.20.3	ISO 7/1-Rp/Rc; DIN 2999-Rc BS 21-Rp/Rc; Japan PT-Port	DIN 3852 T2, type Z (parallel)
Performance characteristics				
 pressure capacity 	Low	Very high	Medium	Low
- sealing characteristics	Medium	Medium Recommended	Medium	Medium
Current use	More and more unimportant. Partly used for pneumatics.	Mainly used in North America. Male studs and port tapping are tapered. The same as NPT except that closer tolerances are held to assure metal to metal contact (dryseal thread).	Mainly used in GB and Asia-Pa- cific areas. Male studs are ta- pered. Ports are mainly tapered, but can be parallel also. Leakfree performance is only achieved with fluid or plastic thread sealing material. **)Male stud end not included in the catalogue!	Only for low requirements due to parallel port. Leakfree perform- ance is only achieved with fluid or plastic thread sealing material. Mainly used in Germany. Not to be used for BSPT ports and PT ports (Japanese Standard) due to poor thread engagement!

Orientable Fitting Selection



Pressure

- pre-select orientable fitting with sufficient pressure performance prefer elastomeric seal for most reliable sealing
 - performance



 Flow Rate
 select optimum solution for best flow rate and available space

Туре	90° tube bend	and male stud	Swivel	Elbow	Adjustable Elbow
E0:	GE12LMCF	GE12ZLMEDCF	EVW	EW	WEE
Triple-Lok [®] :	FMTX, F3MX	F82EDMX		F82EDMX+C6MX	C80MX
O-Lok®:	—	F82EDMLO	—	F82EDMLO+C6MLO	C80ML0
Design	DPR/PSR Triple-Lok [®] Metal sealed port	EO-2 O-Lok [®] Elastomeric sealed port	Adjustable elbow with pre- ssembled EO-DPR/PSR	Adjustable elbow with swivel nut connection	Adjustable Elbow with adjustable male stud
Sealing method	Metal	Elastomeric	Metal	Elastomeric	Elastomeric
Performance pressure Seal reliability Flow characteristics Compactness	Good Good Excellent Bulky	Excellent Excellent Excellent Bulky	Good Good Very good Good	Excellent Excellent Very good Good	Very good Good Very good Very good
Assembly/Installation Field repair	Very good Good	Excellent Excellent	Good Good	Excellent Excellent	Very good Difficult
Available sizes	Tube Outside Diameter 4 mm to 42 mm for DPR/PSR Triple-Lok [®] 6 mm to 50 mm and 1/4 in to 2 in	Tube Outside Diameter 4 mm to 42 mm for DPR/PSR/EO-2 Triple-Lok [®] and O-Lok [®] 6 mm to 50 mm and 1/4 in to 2 in	Tube Outside Diameter 6 mm to 42 mm for DPR/PSR	Tube Outside Diameter 6 mm to 42 mm for for DPR/PSR/EO-2 Triple-Lok [®] and O-Lok [®] 6 mm to 50 mm and 1/4 in to 2 in	Tube Outside Diameter 4 mm to 42 mm for DPR/PSR/EO-2 Triple-Lok [®] and O-Lok [®] 6 mm to 50 mm and 1/4 in to 2 in
Available threads	Metric ISO 9974-3 BSPP ISO 1179-4 DIN 3852 Form B NPT/NPFT	Metric ISO 6149 Metric ISO 9974-2 BSPP ISO 1179-2 UN/UNF	Metric ISO 9974-3 BSPP ISO 1179-4 DIN 3852 Form B NPT/NPFT	Metric ISO 6149 Metric ISO 9974-2 BSPP UN/UNF	Metric ISO ISO 6149 Metric ISO 9974-2 BSPP ISO 1179-2 UN/UNF
Current use	preferred use is not critic	cal when space	not for new design	general use	general use
Typical Applications	Agricultural Equipment process engineering	All hydraulic + pneumatic systems	Agricultural Equipment process engineering	All hydraulic + pneumatic systems	All hydraulic + pneumatic systems

Orientable Fitting Selection



Space
 select optimum solution for available space and best flow



Assembly • check, if assembly process is suitable

Туре	Ba	njo 	High pressure banjo		
EO:	DSVW	SWVE	WH DKA	WH KDS	
Triple-Lok®:	—	_	_	—	
O-Lok®:	—	—	—	—	
Design	Fitting body with hollow bolt and cap	Fitting body with hollow bolt	Fitting body with hollow bolt	Fitting body with hollow bolt	
Sealing method	Metal	Metal	Metal	Elastomeric	
Performance pressure Seal reliability FLow characteristics	Low pressure Good Good Excellent	Good Good Good Excellent	Very good Good Good Excellent	Very good Excellent Good Excellent	
Assembly/Installation Field repair	Good Good	Very good Good	Very good Good	Excellent Excellent	
Available sizes	Tube Outside Diameter 4 mm to 42 mm for DPR/PSR	Tube Outside Diameter 4 mm to 42 mm for DPR/PSR	Tube Outside Diameter 6 mm to 42 mm for DPR/PSR	Tube Outside Diameter 6 mm to 42 mm for DPR/PSR/E0-2	
Available threads	— Metric DIN 3852 BSPP —	— Metric BSPP —	— Metric BSPP —	— Metric BSPP —	
Current use	Low pressure systems only, not for new designs	Low pressure systems only	Best solution for limited applic	ation space	
Typical Applications	Airbrake systems Return lines	Low to medium pressure systems	Space critical applications suc Mobile hydraulics	h as: forklift trucks	

Specification

select fittings according to

Standardisation



Approvals

Parker tube fittings are recognized by various acceptance organizations, among which are:

Germanischer Lloyd (GL) Lloyds Register of Shipping (LR) Det Norske Veritas (DNV) American Bureau of Shipping (ABS) Russian Maritime Register of Shipping (RMS) China Classification Society (CCS) Deutscher Verein des Gas- und Wasserfaches (DVGW) For other applications, Parker tube fittings also approved by diverse national authorities.

Numerous original equipment manufacturers and end-users of various industries have approved Parker tube fittings.

Attention:

Type Approvals usually are limited to certain products, applications, working conditions, validity time or other restrictions. We gladly inform you on your individual application and send out the required documentation.

Tube Specifications

Tubes with metric outside diameters

							Suitable fitting systems			
Tube material Steel	Speci- fication	Construction	Condition	Tolerances OD/ wallthickness	Surface	DPR/PSR/ E0-2	EO-2 Form	T- Lok®	0-Lok®	Note
E 235 (= 1.0308)	DIN EN 10305-4		+N (= normal annealed)	EN 10305-4		Х	Х	Х	Х	1)
R37	ISO 3304	Seamless	NBK (= normal annealed)	ISO 3304	phosphated,	Х	Х	Х	Х	2)
E355 (= 1.0580)	DIN EN 10305-4	cold drawn	+N (= normal annealed)	EN 10305-4	or CF	Х	Х	Х	Х	3)
R50	ISO 3304		NBK (= normal annealed)	ISO 3304		Х	Х	Х	Х	4)

			Suitable					e fitting systems			
Tube material Stainless steel	Speci- fication	Construction	Condition	Tolerances OD/ wallthickness	Surface	DPR/PSR/ E0-2	EO-2 Form	T- Lok®	0-Lok®	Note	
1.4571 (= TP 316 Ti)	DIN EN		CFA	DIN EN 10305-1		Х	Х	Х	(X)	5)	
1.4541 (= TP 321)	10216-5					Х	Х	Х	(X)	6)	
1.4404 (= TP 316L)	EN ISO 1127 or ASTM A269/A213	Seamless cold drawn			plain	Х	(X)	Х	Х	7)	
1.4301 (= TP 304)		7 M 213	Solution heat treated (bright annealed)	D4/T3* (EN ISO 1127)		Х	(X)	Х	Х	8)	
1.4306 (= TP 304L)											
1.4401 (= TP 316)	EN ISO Welded 1127 tube		DIN 17457-K2		plain, weld seam approx.	Х	(X)	Х	Х	9)	
1.4301 (= TP 304)		EN ISO Welded 1127 tube	for OD 6–12 mm, cold drawn welded (CDW) with smooth outer surface for			Х	(X)	(X)	(X)	10)	
1.4541 (= TP 321)			OD 14–42 mm		IIIVISIDIE	Х	(X)	(X)	(X)	10)	

						Suitable fitting systems				
Tube material Copper	Speci- fication	Construction	Condition	Tolerances OD/ wallthickness	Surface	DPR/PSR/ E0-2	EO-2 Form	T- Lok®	0-Lok®	Note
Cu DHP R290/250/200	EN 1057 EN 12449	Seamless tube	EN 1057 EN 12449	EN 1057 EN 12449	clean, smooth plain	Х	Х	Х	Х	11)

1) Recommended EO standard precision tubes for high pressure hydraulic applications. Tight tolerances for easy handling. Good bendability and weldability.

2) Tolerance on large tube OD's not as tight as EO tube.

 Precision tubes for very high pressure hydraulic applications. Tight tolerances for easy handling. Good bendability and weldability.

4) Tolerance on large tube OD's not as tight as EO tube.

5) Recommended EO standard precision tubes for high pressure hydraulic applications. Tight tolerances (same as steel tubes) for easy handling. Good weldability and corrosion resistance. () = on request

6) Recommended EO standard precision tubes for high pressure hydraulic applications. Tight tolerances (same as steel tubes) for easy handling. Good weldability. () = on request

7) Common tube, OD. tolerance not as tight as EO tube. Good weldability and corrosion resistance. () = Suitable up to OD. 20 mm

8) Common tube, OD. tolerance not as tight as EO tube. () = Suitable up to OD. 20 mm

9) Common tube, OD. tolerance not as tight as EO tube. () = Suitable up to OD. 20 mm

10) Used in Pneumatic (low pressure) applications. () = Only for tube with smooth outer and inner surface.

11) Support sleeve "VH" may be required, e.g. for R250-28x1.5.

* = For DPR/PSR/EO-2 systems: thin walled tubes which need a support sleeve require tighter tolerance class T4. Tube O.D. tolerance class D3 is not recommended. D3 may reduce function and capability of the tube connection systems.

Tube Specifications

Tubes with imperial (inch) outside diameters

Tube material Steel	Specification	Construction	Condition	Tolerance OD/ wallthickness	Surface	T- Lok®	Suitable O-Lok®	Note
Carbon steel C-1010	SAE J524 (AMS 5050 J, ASTM A179)	Seamless	Fully annealed	SAE J524 (AMS 5050 J, ASTM A179)	plain oilad	х	х	1)
	SAE J525	Welded and drawn		SAE J525		Х	Х	2)

							Suitable			
Tube material Stainless steel	Specification	Construction	Condition	Tolerance OD/ wallthickness	Surface	T- Lok®	0-Lok®	Note		
1.4404 (= TP 316L)	ASTM A269, ASTM A213	Seamless	- Fully annealed	ASTM A269, ASTM A213		Х	Х	3)		
1.4301 (= TP 304)						Х	Х			
1.4401 (= TP 316)					nlain	Х	Х			
1.4404 (= TP 316L)	ASTM A249, ASTM A269	Welded		ASTM A249,	piairi	Х	Х	4)		
1.4301 (= TP 304)						Х	Х			
1.4401 (= TP 316)		³¹⁶				NOTWINE 00	NOTIVI NEOD		Х	X

							Suitable	
Tube material Copper	Specification	Construction	Condition	Tolerance OD/ wallthickness	Surface	T- Lok®	0-Lok®	Note
Copper	SAE J528 (ASTM B-75)	Seamless	Soft annealed Temper "O"	SAE J528 (ASTM B-75)	plain	x	х	4)

1) Recommended EO tubes for Hydraulic/Pneumatic applications

2) Common tubes in North-America

3) Recommended tubes for Hydraulic/Pneumatic applications. Good weldability and corrosion resistance

4) Tubes in North-America

Fitting selection summary

Traditional bite-type fittings have been originally developed and designed for operating conditions of fluidpower systems completely different from todays and future market requirements.

New products and improved assembly technologies have been developed and introduced by Parker to fulfill todays and future requirements of the operators of fluidpower equipment. This new tube fitting generation and the according assembly methods are classified as Dry Technology. All qualifying products are explicitly Dry Technologylabelled throughout this catalogue. For all new designs of

- hydraulic systems
- pneumatic systems,
- coolant systems,
- Iubrication systems and
- sprinkler systems

only Dry Technology-classified components should be selected.

Dry technology versus traditional technology

EO-2 versus bite type

- + Elastomeric seal
- + Sufficiant seal volume to compensate tube tolerance
- + High degree of fine sealing
- + Long-term reliability without retightening
- + No air ingress
- + Clear hit-home-feel at assembly
- + Easy assembly check
- + Integrated preassembly tool
- + No stress of inner cone of fitting body
- + No wear of preassembly tools
- + Direct assembly of stainless steel tubes possible (EO-2)
- + No galling of stainless steel threads
- + Existing tools and EOMAT machines can be used for efficient assembly (EO-2)
- + All parts integrated in Functional Nut (EO-2)
- + No confusion of individual ferrules
- + Less handling effort
- + Unlimited repeated assembly
- + Seal can be individually replaced
- + ISO-standardised (DIN EN ISO 8434-1)
- + Million times proven product since 1993 (EO-2)
- + Interchangeable with EO Progressive Ring (EO-2)
- Higher component cost than traditional bite-type fittings
- + Low total cost
- + Best value for end user
- + Mandatory specified from various industries, such as: automotive production, injection molding, mobile equipment, shipbuilding and offshore exploration
- + Globally gaining popularity

Drug Technolowy Drug E0-2



Bite type



O-Lok® versus traditional Triple-Lok®

- Higher pressure resistance than Triple-Lok® +
- Elastomeric seal +
- Sufficiant seal volume to compensate tube tolerance +
- High degree of fine sealing +
- Long-term reliability without retightening +
- + No air ingress
- Clear hit-home-feel at assembly +
- Easy assembly check +
- Easy installation of flat-face components +
- Superior vibration resistance +
- Parflange[®] orbital flanging technology +
- + Unlimited repeated assembly
- + Seal can be individually replaced
- + ISO-standardised (DIN EN ISO 8434-2)
- + Million times proven product
- Higher component cost than Triple-Lok[®]
- Parflange® machine required
- + braze sleeves can be used for field repair
- Low total cost +
- + Best value for end user
- Mandatory specified from various industries, such as: + agricultural equipment, mobile construction machines, injection molding
- Globally gaining popularity +

EO2-FORM versus traditional Weld nipple

- Safe, form-fit connection +
- Easy assembly process +
- trouble-free with zinc-plated tube +
- Elastomeric seal +
- Sufficiant seal volume to compensate tube tolerance +
- High degree of fine sealing +
- Long-term reliability without retightening +
- No air ingress +
- Clear hit-home-feel at assembly +
- + Easy assembly check
- + Easy tube preparation
- + Easy quality inspection
- + No rework of welding
- + Use of existing EO-2 seals
- + Unlimited repeated assembly
- Seal can be individually replaced +
- ISO-standardised (DIN EN ISO 8434-1/-4) +
- Basic product EO-2 is million times proven +
- Interchangeable with EO Progressive Ring (EO-2) +
- No new or additional components required +
- Higher component cost than traditional bite-type fittings _
- _ EO2-FORM machine required
- + EO-2 can be used for field repair
- Low total cost +
- Best value for end user +
- Approved for application in hydraulic presses, injection mold-+ ing, lifts, waterlocks and shipbuilding
- Globally gaining popularity +

Dry Technology Dry O-Lok® Triple-Lok®







EO2-FORM







Swivel adjustable versus traditional standpipe

- Elastomeric seal +
- High degree of fine sealing +
- Long-term reliability without retightening +
- No air ingress +
- + Superior pressure rating
- + High mechanical strength
- No blow-out at incomplete assembly +
- Easy fitting installation +
- No stress of inner cone of fitting body +
- No wear of preassembly tools +
- Unlimited repeated assembly +
- Seal can be individually replaced +
- + ISO-standardised (DIN EN ISO 8434-1/-4)
- Milliontimes proven product since 1970 +
- Interchangeable with EO standpipe fittings +
- Higher component cost than traditional standpipe fittings _
- + Low total cost
- + Best value for end user
- + Mandatory specified from various industries, such as: automotive production, injection molding, mobile equipment, shipbuilding and offshore exploration
- + Most frequently used and still gaining popularity



- Elastomeric seal +
- High degree of fine sealing +
- Long-term reliability without retightening +
- No air ingress +
- Superior pressure rating +
- Clear hit-home-feel at assembly +
- No damage to port surface +
- Assembly and performance almost independant of port material +
- + Low assembly torgues
- No metal sealing edge which may be damaged at transport or handling +
- Unlimited repeated assembly +
- Seal can be individually replaced +
- ISO-standardised (ISO 1179/ISO 6149/DIN ISO 6149) +
- + Million times proven product since 1964
- Interchangeable with traditional fittings +
- + Wider product range and better availability
- Higher component cost than traditional bite-type fittings _
- Low total cost +
- Best value for end user +
- Mandatory specified from various industries, such as: + automotive production, injection molding, mobile equipment, shipbuilding and offshore exploration
- Most frequently used and still gaining popularity +



Drug Technolosy



Metal seal





Locknut Adjustables versus tapered thread

- Elastomeric seal
- High degree of fine sealing +
- Long-term reliability without retightening +
- No air ingress +

+

- + Good flow characteristic
- + 360° orientable
- More compact than swivel orientable combination +
- No additional sealant required +
- Clear hit-home-feel at assembly +
- No damage to port surface +
- Assembly and performance almost independant of port material +
- + Low assembly torques
- + Unlimited repeated assembly
- Seal can be individually replaced +
- Interchangeable with traditional fittings +
- Available in 90°, 45° elbow, T- and Run-T-configuration +
- Machined spot surface required _
- + Lower price than Banjo fittings
- Low total cost +
- Best value for end user +
- Globally gaining popularity +





High pressure banjo versus traditional low pressure elbow

- Elastomeric seal +
- High degree of fine sealing +
- + Long-term reliability without retightening
- + No air ingress
- + 360° orientable
- Compact design +
- Suitable for high pressure applications +
- Matching small spot surface +
- Clear hit-home-feel at assembly +
- No damage to port surface +
- Assembly and performance almost independant of port material +
- Seal does not fall off +
- Only one hollow bolt needs to be tightened +
- No hidden screw +
- Unlimited repeated assembly +
- Seal can be individually replaced +
- Million times proven product since 1980 +
- Interchangeable with traditional fittings +
- Available in 90°elbow and T-configuration +
- Slight flow restriction _
- Low total cost +
- Best value for end user +
- Globally gaining popularity +

Low pressure



High pressure







Offshore House, Southwick Industrial Estate, Sunderland, SR5 3TX hos@hos.co.uk | www.hos.co.uk

