



Hydraulic &  
Offshore Supplies

t: +44(0)191 549 7335

e: [hose@hos.co.uk](mailto:hose@hos.co.uk)

w: [www.hos.co.uk](http://www.hos.co.uk)

## Heat Shrink Caps



# CTA HY-CAP Capsules in shrink-wrapping PVC

## Capsule in PVC termoretraibili



System for preventing the internal contamination of the assembled hose up to the time of assembly, equivalent and alternative to the traditional threaded plastic plug.

Sistema per prevenire la contaminazione interna del tubo flessibile assemblato fino al momento del montaggio, equivalente ed alternativo al tradizionale tappo filettato in plastica.

### Features:

**Environment:** Reduction of plastic waste quantities.

**Material:** Thermoplastic polyvinyl chloride (PVC) foil leaf.

**Range:** Cover of all applications with only 7 capsules diameters.

**Management:** Controls, documenting and reordering only 7 codes.

Heat-shrinking times around the second.

Capsule color and logo customizable, for minimum order quantity.

### Caratteristiche:

**Ambiente:** Riduzione dei quantitativi di smaltimento di plastica.

**Materiale:** Foglia termoplastica in cloruro di polivinile (PVC) rigido.

**Gamma:** Copertura di tutte le applicazioni con soli 7 diametri di capsule.

**Gestione:** Controlli, documentazione e riordino di soli 7 codici. Tempi di termoretrazione intorno al secondo.

Colore capsula e logo personalizzabili, per quantitativo minimo d'ordine.

Part number	Size	Lenght	Hexagonal covered	Q.ty Box
	CTA2530AA	25	25	12/22
CTA2850AA	28	28	22/24	8500
CTA3140AA	31	31	24/27	10000
CTA3440AA	34	34	27/30	12000
CTA3850AA	38	38	30/32	7000
CTA4660AA	46	46	32/41	4000
CTA7050AA	70	70	41/70	2800



## Heat shrink machine

Fornello per termoretrazione

HSM



HSMA1



HSMA2



HSMB1

### Features:

230 V (1000 W).

**Material:** Stainless steel.

**Versions:** Table mounted (HSMB1).

Manual, with or without base support stand (bss) (HSMA1 and HSMA2).

### Caratteristiche:

230 V (1000 W).

**Materiale:** Acciaio inox.

**Versioni:** Da banco (HSMB1).

Manuale, con o senza supporto (HSMA1 e HSMA2).

Part number	Version	Weight Kg	Dimensions (mm)	
			A X B	h
HSMA1	Manual, without bss	1.5	240x100	240
HSMA2	Manual, with bss	2.0	240x180	320
HSMB1	Table mounted	3.0	480x150	220



# Contact Us

Tel: +44(0)191 549 7335

Email: [hos@hos.co.uk](mailto:hos@hos.co.uk)

Web: [www.hos.co.uk](http://www.hos.co.uk)

