

Hydraulic & Offshore SUPPLIES

Camlock Couplings

Contact our team *and*
Order today on:
+44 (0)191 549 7335

Offshore House, Southwick Industrial Estate, Sunderland, SR5 3TX
hos@hos.co.uk | www.hos.co.uk

Aluminium Camlocks

USAGE : Most commonly used in Water, Oil & Product transfer applications

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50AL	1/2"	10
A75AL	3/4"	10
A100AL	1"	10
A125AL	1 1/4"	10
A150AL	1 1/2"	10
A200AL	2"	10
A250AL	2 1/2"	10
A300AL	3"	10
A400AL	4"	7
A500AL	5"	4.5
A600AL	6"	4.5
A800AL	8"	3

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50AL	1/2"	10
B75AL	3/4"	10
B100AL	1"	10
B125AL	1 1/4"	10
B150AL	1 1/2"	10
B200AL	2"	10
B250AL	2 1/2"	10
B300AL	3"	10
B400AL	4"	7
B500AL	5"	4.5
B600AL	6"	4.5
B800AL	8"	3

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50AL	1/2"	10
C75AL	3/4"	10
C100AL	1"	10
C125AL	1 1/4"	10
C150AL	1 1/2"	10
C200AL	2"	10
C250AL	2 1/2"	10
C300AL	3"	10
C400AL	4"	7
C500AL	5"	4.5
C600AL	6"	4.5
C800AL	8"	3.5

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50AL	1/2"	10
D75AL	3/4"	10
D100AL	1"	10
D125AL	1 1/4"	10
D150AL	1 1/2"	10
D200AL	2"	10
D250AL	2 1/2"	10
D300AL	3"	10
D400AL	4"	7
D500AL	5"	4.5
D600AL	6"	4.5
D800AL	8"	3.5

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50AL	1/2"	10
E75AL	3/4"	10
E100AL	1"	10
E125AL	1 1/4"	10
E150AL	1 1/2"	10
E200AL	2"	10
E250AL	2 1/2"	10
E300AL	3"	10
E400AL	4"	7
E500AL	5"	4.5
E600AL	6"	4.5
E800AL	8"	3.5

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50AL	1/2"	10
F75AL	3/4"	10
F100AL	1"	10
F125AL	1 1/4"	10
F150AL	1 1/2"	10
F200AL	2"	10
F250AL	2 1/2"	10
F300AL	3"	10
F400AL	4"	7
F500AL	5"	4.5
F600AL	6"	4.5
F800AL	8"	3.5

Type DC Camlock



Part Code	Size	WP (Bar)
DC50AL	1/2"	10
DC75AL	3/4"	10
DC100AL	1"	10
DC125AL	1 1/4"	10
DC150AL	1 1/2"	10
DC200AL	2"	10
DC250AL	2 1/2"	10
DC300AL	3"	10
DC400AL	4"	7
DC500AL	5"	4.5
DC600AL	6"	4.5
DC800AL	8"	3.5

Type DP Camlock



Part Code	Size	WP (Bar)
DP50AL	1/2"	10
DP75AL	3/4"	10
DP100AL	1"	10
DP125AL	1 1/4"	10
DP150AL	1 1/2"	10
DP200AL	2"	10
DP250AL	2 1/2"	10
DP300AL	3"	10
DP400AL	4"	7
DP500AL	5"	4.5
DP600AL	6"	4.5
DP800AL	8"	3.5

Stainless Steel Camlocks

USAGE : Most commonly used in Food, Chemical & Pharmaceutical applications.

Threaded Couplings also available in NPT Thread

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50SS	1/2"	10
A75SS	3/4"	10
A100SS	1"	10
A125SS	1 1/4"	10
A150SS	1 1/2"	10
A200SS	2"	10
A250SS	2 1/2"	10
A300SS	3"	10
A400SS	4"	7
A500SS	5"	5
A600SS	6"	5

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50SS	1/2"	10
B75SS	3/4"	10
B100SS	1"	10
B125SS	1 1/4"	10
B150SS	1 1/2"	10
B200SS	2"	10
B250SS	2 1/2"	10
B300SS	3"	10
B400SS	4"	7
B500SS	5"	5
B600SS	6"	5

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50SS	1/2"	10
C75SS	3/4"	10
C100SS	1"	10
C125SS	1 1/4"	10
C150SS	1 1/2"	10
C200SS	2"	10
C250SS	2 1/2"	10
C300SS	3"	10
C400SS	4"	7
C500SS	5"	5
C600SS	6"	5
C800SS	8"	3

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50SS	1/2"	10
D75SS	3/4"	10
D100SS	1"	10
D125SS	1 1/4"	10
D150SS	1 1/2"	10
D200SS	2"	10
D250SS	2 1/2"	10
D300SS	3"	10
D400SS	4"	7
D500SS	5"	5
D600SS	6"	5

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50SS	1/2"	10
E75SS	3/4"	10
E100SS	1"	10
E125SS	1 1/4"	10
E150SS	1 1/2"	10
E200SS	2"	10
E250SS	2 1/2"	10
E300SS	3"	10
E400SS	4"	7
E500SS	5"	5
E600SS	6"	5
E800SS	8"	3

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50SS	1/2"	10
F75SS	3/4"	10
F100SS	1"	10
F125SS	1 1/4"	10
F150SS	1 1/2"	10
F200SS	2"	10
F250SS	2 1/2"	10
F300SS	3"	10
F400SS	4"	7
F500SS	5"	5
F600SS	6"	5

Type DC Camlock



Part Code	Size	WP (Bar)
DC50SS	1/2"	10
DC75SS	3/4"	10
DC100SS	1"	10
DC125SS	1 1/4"	10
DC150SS	1 1/2"	10
DC200SS	2"	10
DC250SS	2 1/2"	10
DC300SS	3"	10
DC400SS	4"	7
DC500SS	5"	5
DC600SS	6"	5

Type DP Camlock



Part Code	Size	WP (Bar)
DP50SS	1/2"	10
DP75SS	3/4"	10
DP100SS	1"	10
DP125SS	1 1/4"	10
DP150SS	1 1/2"	10
DP200SS	2"	10
DP250SS	2 1/2"	10
DP300SS	3"	10
DP400SS	4"	7
DP500SS	5"	5
DP600SS	6"	5

Brass Camlocks

Threaded Couplings also available in NPT Thread

USAGE: Most commonly used in heavy duty applications such as Steel Works, Offshore and Waste Water

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50BR	1/2"	8
A75BR	3/4"	10
A100BR	1"	10
A125BR	1 1/4"	10
A150BR	1 1/2"	10
A200BR	2"	10
A250BR	2 1/2"	10
A300BR	3"	10
A400BR	4"	7
A500BR	5"	5
A600BR	6"	5

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50BR	1/2"	10
B75BR	3/4"	10
B100BR	1"	10
B125BR	1 1/4"	10
B150BR	1 1/2"	10
B200BR	2"	10
B250BR	2 1/2"	10
B300BR	3"	10
B400BR	4"	7
B500BR	5"	5
B600BR	6"	5

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50BR	1/2"	10
C75BR	3/4"	10
C100BR	1"	10
C125BR	1 1/4"	10
C150BR	1 1/2"	10
C200BR	2"	10
C250BR	2 1/2"	10
C300BR	3"	10
C400BR	4"	10
C500BR	5"	10
C600BR	6"	10

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50BR	1/2"	8
D75BR	3/4"	10
D100BR	1"	10
D125BR	1 1/4"	10
D150BR	1 1/2"	10
D200BR	2"	10
D250BR	2 1/2"	10
D300BR	3"	10
D400BR	4"	7
D500BR	5"	5
D600BR	6"	5

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50BR	1/2"	8
E75BR	3/4"	10
E100BR	1"	10
E125BR	1 1/4"	10
E150BR	1 1/2"	10
E200BR	2"	10
E250BR	2 1/2"	10
E300BR	3"	10
E400BR	4"	7
E500BR	5"	5
E600BR	6"	5

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50BR	1/2"	10
F75BR	3/4"	10
F100BR	1"	10
F125BR	1 1/4"	10
F150BR	1 1/2"	10
F200BR	2"	10
F250BR	2 1/2"	10
F300BR	3"	10
F400BR	4"	7
F500BR	5"	5
F600BR	6"	5

Type DC Camlock



Part Code	Size	WP (Bar)
DC50BR	1/2"	8
DC75BR	3/4"	10
DC100BR	1"	10
DC125BR	1 1/4"	10
DC150BR	1 1/2"	10
DC200BR	2"	10
DC250BR	2 1/2"	10
DC300BR	3"	10
DC400BR	4"	7
DC500BR	5"	5
DC600BR	6"	5

Type DP Camlock



Part Code	Size	WP (Bar)
DP50BR	1/2"	8
DP75BR	3/4"	10
DP100BR	1"	10
DP125BR	1 1/4"	10
DP150BR	1 1/2"	10
DP200BR	2"	10
DP250BR	2 1/2"	10
DP300BR	3"	10
DP400BR	4"	7
DP500BR	5"	5
DP600BR	6"	5

Polypropylene Camlocks

USAGE: Most commonly used as a general purpose coupling. Polypropylene is lightweight and has a very good chemical resistance

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50PP	1/2"	5
A75PP	3/4"	7
A100PP	1"	7
A125PP	1 1/4"	7
A150PP	1 1/2"	7
A200PP	2"	7
A250PP	2 1/2"	7
A300PP	3"	4
A400PP	4"	4

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50PP	1/2"	5
B75PP	3/4"	7
B100PP	1"	7
B125PP	1 1/4"	7
B150PP	1 1/2"	7
B200PP	2"	7
B250PP	2 1/2"	7
B300PP	3"	4
B400PP	4"	4

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50PP	1/2"	5
C75PP	3/4"	7
C100PP	1"	7
C125PP	1 1/4"	7
C150PP	1 1/2"	7
C200PP	2"	7
C250PP	2 1/2"	7
C300PP	3"	4
C400PP	4"	4

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50PP	1/2"	5
D75PP	3/4"	7
D100PP	1"	7
D125PP	1 1/4"	7
D150PP	1 1/2"	7
D200PP	2"	7
D250PP	2 1/2"	7
D300PP	3"	4
D400PP	4"	4

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50PP	1/2"	5
E75PP	3/4"	7
E100PP	1"	7
E125PP	1 1/4"	7
E150PP	1 1/2"	7
E200PP	2"	7
E250PP	2 1/2"	7
E300PP	3"	4
E400PP	4"	4

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50PP	1/2"	5
F75PP	3/4"	7
F100PP	1"	7
F125PP	1 1/4"	7
F150PP	1 1/2"	7
F200PP	2"	7
F250PP	2 1/2"	7
F300PP	3"	4
F400PP	4"	4

Type DC Camlock



Part Code	Size	WP (Bar)
DC50PP	1/2"	5
DC75PP	3/4"	7
DC100PP	1"	7
DC125PP	1 1/4"	7
DC150PP	1 1/2"	7
DC200PP	2"	7
DC250PP	2 1/2"	7
DC300PP	3"	4
DC400PP	4"	4

Type DP Camlock



Part Code	Size	WP (Bar)
DP50PP	1/2"	5
DP75PP	3/4"	7
DP100PP	1"	7
DP125PP	1 1/4"	7
DP150PP	1 1/2"	7
DP200PP	2"	7
DP250PP	2 1/2"	7
DP300PP	3"	4
DP400PP	4"	4



Camlock Accessories

Camlock Gaskets



SIZE	BUNA NITRILE	VITON	EPDM	TEFLON BUNA	TEFLON VITON	FEP ENCAPSULATED
1/2"	50B	50V	50E	50TB	50TV	50FEP
3/4"	75B	75V	75E	75TB	75TV	75FEP
1"	100B	100V	100E	100TB	100TV	100FEP
1.1/4"	125B	125V	125E	125TB	125TV	125FEP
1.1/2"	150B	150V	150E	150TB	150TV	150FEP
2"	200B	200V	200E	200TB	200TV	200FEP
2.1/2"	250B	250V	250E	250TB	250TV	250FEP
3"	300B	300V	300E	300TB	300TV	300FEP
4"	400B	400V	400E	400TB	400TV	400FEP
5"	500B	500V	500E	500TB	500TV	
6"	600B	600V	600E	600TB	600TV	

Camlocks are supplied with a Standard Seal, Care is to be taken to check that the gasket material is fit for purpose for the application some of these checks will be the Temperature Range & Chemical Compatibility We offer a wide range of gasket options to meet many various types of applications

Camlock Chains & Rings



Product	Brass 12inch Chain	SS 12inch Chain	Locking Pin
Code	36310	SS12CG	CGP

Camlock Replacement Handles

Size	BRASS	Stainless Steel
3/4"	CH75BR	CH75SS
1"	CH100BR	CH100SS
1.1/4" - 2.1/2"	CH200BR	CH200SS
3" - 5"	CH300BR	CH300SS
6"	CH600BR	CH600SS



Camlock Flanged Adaptors

Stainless Steel Flange Male Adaptor

Size	ASA150	PN16
3/4"	75A150	75ANP
1"	100A150	100ANP
1.1/4"	125A150	125ANP
1.1/2"	150A150	150ANP
2"	200A150	200ANP
2.1/2"	250A150	250ANP
3"	300A150	300ANP
4"	400A150	400ANP



Stainless Steel Flange Female Adaptor

Size	ASA150	PN16
3/4"	75C150	75CNP
1"	100C150	100CNP
1.1/4"	125C150	125CNP
1.1/2"	150C150	150CNP
2"	200C150	200CNP
2.1/2"	250C150	250CNP
3"	300C150	300CNP
4"	400C150	400CNP

0191 549 7335

hos@hos.co.uk

Offshore House, Southwick Industrial Estate, Sunderland SR5 3TX

Hydraulic & Offshore SUPPLIES



Offshore House, Southwick Industrial Estate, Sunderland, SR5 3TX
hos@hos.co.uk | www.hos.co.uk

