

# Hydraulic & Offshore SUPPLIES

## Hose Binding

Contact our team *and*  
**Order today on:**  
**+44 (0)191 549 7335**

Offshore House, Southwick Industrial Estate, Sunderland, SR5 3TX  
hos@hos.co.uk | [www.hos.co.uk](http://www.hos.co.uk)

# SAFE-SLEEVE

SAFE-STRIP bundling straps are convenient for multi-hose bundles and can be used over and over again. There are three different types of Safe-Strips:

Safe-Strips **with or without a mounting eyelet** are produced from polypropylene and have Velcro® -brand fasteners. Breaking strength is average 1500 N. The buckle is stainless steel and the width of the band is 40 mm. Safe-Strip text is woven with white yarn.

SAFE-STRIP – STANDARD		
PRODUCT CODE	LENGTH (mm)	MAX BUNDLE (mm)
ST-RD70	310	70
ST-RD100	435	100
ST-RD125	505	125
ST-RD155	605	155
ST-RD180	680	180



SAFE-STRIP – WITH MOUNTING EYELET		
PRODUCT CODE	LENGTH (mm)	MAX BUNDLE (mm)
ST-RDR70	340	70
ST-RDR100	455	100
ST-RDR125	540	125
ST-RDR155	660	155
ST-RDR180	765	180



Sales unit for the above mentioned Safe-Strips is **10 pcs/ size**.

Third type of Safe-Strip is equipped with a quick-release **buckle**. The width of the band is 25 mm and it is also woven with a Safe-Strip text. Our strap has a taper cut edge for easy threading into buckle and a loop to hold the band end.

SAFE-STRIP – WITH BUCKLE	
PRODUCT CODE	LENGTH (mm)
ST-FLL50	500
ST-FLL100	1000
ST-FLL150	1500

Sales unit for these Safe-Strips is **25 pcs/ size**.

## Safeplast Binding Straps

Safeplast has a range of Binding Straps which can be used for many different kind of purposes, for example for bundling of hydraulic hoses or electrical cables together.

You can handle long and heavy hose bundles easier by strapping them before mounting spiral on the bundle. Safeplast Binding Straps are made of very durable woven polyester (PES).

All the straps have adjustment holes (except the smallest size, which is meant for bundling of electric cables). Tensile strength is 3000 – 4200N.

There is a tool available for tightening of the straps.

ARTICLE NO.	LENGTH (mm)	WIDTH (mm)	THICKNESS (mm)	MATERIAL	BUCKLE	PACKAGE SIZE
ST-UR250	250	9	1.4	POLYESTER	SPIKE	100 pcs
ST-UR400	400	20	1.8	POLYESTER	SPIKE	50 pcs
ST-UR600	600	20	1.8	POLYESTER	SPIKE	50 pcs
ST-UR800	800	20	1.8	POLYESTER	SPIKE	50 pcs

# BINDING SPIRALS

## Protection for Cables

Safeplast Binding Spirals are developed for flexible binding of electric cables and hoses to protect them from abrasion and shocks and to increase their visibility. Binding several cables together prevents single cables from being caught by moving objects around them.

Binding spirals are produced by cutting from PE-pipe.

Safeplast Binding Spirals:

- resist acids, oils and other solvents
- are very flexible
- are UV protected
- have a temperature range of -30 oC – +80 oC.
- are recyclable

### Nominal Outer Diameters:

6 mm, 8 mm, 10 mm, 12 mm, 15 mm,  
20 mm, 25 mm

### Colours

Standard colour: black

**Lengths:** Available only in coils.



DIAMETER (mm)	LENGTH (m)
7	100
8-15	50
20-25	25

# Hydraulic & Offshore SUPPLIES



Offshore House, Southwick Industrial Estate, Sunderland, SR5 3TX  
hos@hos.co.uk | [www.hos.co.uk](http://www.hos.co.uk)

