



Contact our team and Order today on: +44 (0)191 549 7335



Environmental Equipment

Bunded Drum Frames

- Dimensions: 1570mm x 1380mm x 1110mm high
- 1.5te capacity
- Hazardous substances are bunded at all times during transportation
- Lifting padeyes on each corner for lifting
- Full hydro-fluorescent bund testing
- Painted to offshore paint specification
- **Full NDT and Load Test Certification**
- Supplied with heavy duty PVC cover

Model > SOLBDF1



Non-Bunded IBC Frames

- Dimension: 1380mm x 1600mm x 1500mm high
- 1.2te capacity
- **Non Bunded Lifting Frame**
- Hinged door to front for ease of loading
- Lifting padeyes on each corner for lifting
- Supply c/w Ratchets to secure IBC to frame
- Painted to offshore paint specification
- **Full NDT and Load Test Certification**
- Supplied with heavy duty PVC cover

Model > SOLIBCTF



Bunded IBC Transportation Frames

- Dimensions: 1600mm x 1380mm x 1975mm high
- 1.2te capacity
- Hinged door to front for ease of loading
- Lifting padeyes on each corner for lifting
- Supply c/w ratchets to hold down IBC
- Full hydro-fluorescent bund testing
- Painted to offshore paint specification
- **Full NDT and Load Test Certification**
- Supplied with heavy duty PVC cover

Model > SOLBIBCTF



Available EX Stock Weighing only 75kg!

SWL 2TE


IBC LIFTING FRAME

Modular frame designed for safe movement of IBC containers











IBC LIFTING FRAME

- Safe transfer and restraint of IBC containers
- Easy to assemble and use
- Modular design easy transfer between sites
- Design compensates for C of G differences
- Design eliminates potential sideways slippage of IBC container
- Modular design allows for replacement of individual components
- · Compact design allows for easy storage
- 3-coat offshore paint specification as standard
- Full individual certification package provided to BS EN 13155:2003+A2:2009
- Safe use instructions provided
- Manufacturer training packages offered to support product





Offshore House, Southwick Industrial Estate, Sunderland, SR5 3TX hos@hos.co.uk | www.hos.co.uk

